

# Upright Chiller/ Freezer

# Upright Chiller/ Freezer



Through intensive research and the application of WISE R&D team innovative design, WISE refrigeration series is available as a refrigerator or freezer. The diverse options range from single, double or split doors for upright reach-ins that make our products most appealing to customers' various needs.

## EASY TO OPERATE DESIGNED



To adopt MORRILL motor, more stable and durable



Special coating durable evaporator fins



Smart operation panel

## EASY MAINTENANCE



Detachable Gasket



Rounded corners



Caster option

## USER-FRIENDLY



Light & Durable door handles



Auto Close Doors



GN Pan(optional)



WRT-515L-R2  
WRT-575L-R2-E  
WRT-515L-F2  
WRT-575L-F2-E

WRT-1075L-R4  
WRT-1200L-R4-E  
WRT-1075L-F4  
WRT-1200L-F4-E

WRT-1635L-R6  
WRT-1635L-F6

## FEATURES:

- Professional economic type refrigerator,super large capacity, economical and practical.
- Auto closing door.
- Automatic defrost function.
- Thermal insulation design.
- Free of dead corners.
- 150mm adjustable stainless steel legs with optional heavy duty casters.
- High density polyurethane foam enables better insulation.
- Adjustable wiring shelves to meet different storage needs comes in PVC coated wire shelves or SS wire shelves.

Product Name	Model	Dimension(W*D*H)	Capacity	Power	Compressor Motor	Temp. Range	Cooling System
2 Doors Stainless Steel Upright Chiller	WRT-515L-R2	620*805*2050(mm)	515L	220V 50Hz 410W	1/3HP Motor	2~8(°C)	Air Cooling
2 Doors Stainless Steel Upright Freezer	WRT-515L-F2			220V 50Hz 570W	3/4HP Motor	-13~-18(°C)	
4 Doors Stainless Steel Upright Chiller	WRT-1075L-R4	1200*805*2050(mm)	1075L	220V 50Hz 565W	1/2HP Motor	2~8(°C)	Air Cooling
4 Doors Stainless Steel Upright Freezer	WRT-1075L-F4			220V 50Hz 808W	1HP Motor	-13~-18(°C)	
6 Doors Stainless Steel Upright Chiller	WRT-1635L-R6	1785*805*2050(mm)	1635L	220V 50Hz 754W	1HP Motor	2~8(°C)	Air Cooling
6 Doors Stainless Steel Upright Freezer	WRT-1635L-F6			220V 50Hz 1100W	1HP Motor	-13~-18(°C)	
2 Doors Stainless Steel Upright Chiller(European Standard)	WRT-575L-R2-E	680*835*2050(mm)	575L	220V 50Hz 410W	1/3HP Motor	2~8(°C)	Air Cooling
2 Doors Stainless Steel Upright Freezer(European Standard)	WRT-575L-F2-E			220V 50Hz 570W	3/4HP Motor	-13~-18(°C)	
4 Doors Stainless Steel Upright Chiller(European Standard)	WRT-1200L-R4-E	1300*835*2050(mm)	1200L	220V 50Hz 565W	1/2HP Motor	2~8(°C)	Air Cooling
4 Doors Stainless Steel Upright Freezer(European Standard)	WRT-1200L-F4-E			220V 50Hz 808W	1HP Motor	-13~-18(°C)	

# Upright Chiller/ Freezer

# Dual Temperature Upright Refrigerator



WRT-515L-R2-W  
WRT-515L-F2-W



WRT-1075L-R4-W  
WRT-1075L-F4-W



WRT-1635L-R6-W  
WRT-1635L-F6-W

## FEATURES:

- Professional economic type refrigerator, super large capacity, economical and practical.
- Auto closing door.
- Automatic defrost function.
- Thermal insulation design.
- Free of dead corners.
- 150mm adjustable stainless steel legs with optional heavy duty casters.
- High density polyurethane foam enables better insulation.
- Adjustable wiring shelves to meet different storage needs comes in PVC coated wire shelves or SS wire shelves.

Product Name	Model	Dimension(W*D*H)	Capacity	Power	Compressor Motor	Temp. Range	Cooling System
2 Doors Stainless Steel Upright Chiller	WRT-515L-R2-W	620*805*2050(mm)	515L	220V 50Hz 410W	1/3HP Motor	2~8(°C)	Air Cooling
				220V 50Hz 570W	3/4HP Motor	-13 ~ -18(°C)	
2 Doors Stainless Steel Upright Freezer	WRT-515L-F2-W	620*805*2050(mm)	515L	220V 50Hz 565W	1/2HP Motor	2~8(°C)	Air Cooling
				220V 50Hz 808W	1HP Motor	-13 ~ -18(°C)	
4 Doors Stainless Steel Upright Chiller	WRT-1075L-R4-W	1200*805*2050(mm)	1075L	220V 50Hz 754W	1HP Motor	2~8(°C)	Air Cooling
				220V 50Hz 1100W	1HP Motor	-13 ~ -18(°C)	
4 Doors Stainless Steel Upright Freezer	WRT-1075L-F4-W	1200*805*2050(mm)	1075L	220V 50Hz 754W	1HP Motor	2~8(°C)	Air Cooling
				220V 50Hz 1100W	1HP Motor	-13 ~ -18(°C)	
6 Doors Stainless Steel Upright Chiller	WRT-1635L-R6-W	1785*805*2050(mm)	1635L	220V 50Hz 754W	1HP Motor	2~8(°C)	Air Cooling
				220V 50Hz 1100W	1HP Motor	-13 ~ -18(°C)	
6 Doors Stainless Steel Upright Freezer	WRT-1635L-F6-W	1785*805*2050(mm)	1635L	220V 50Hz 754W	1HP Motor	2~8(°C)	Air Cooling
				220V 50Hz 1100W	1HP Motor	-13 ~ -18(°C)	



WRT-520L-DT-2



WRT-1200L-DT-4

## FEATURES:

- Professional economic type refrigerator, super large capacity, economical and practical.
- Auto closing door and auto defrost function.
- Free of dead corners and thermal insulation design.
- Two-door dual temperature upright refrigerator (The upper cabinet is for freezer, and the lower cabinet is for chiller)
- Four-door dual temperature upright refrigerator (Custom design the left and right cabinet for freezer or chiller)
- 150mm adjustable stainless steel legs with optional heavy duty casters.
- Adjustable wiring shelves to meet different storage needs comes in PVC coated wire shelves or SS wire shelves.
- High density polyurethane foam enables better insulation.
- The characteristic of the single compressor motor and dual temperature control enables the refrigerators to have both freezer and chiller cabinets and independent temperature display and operation panel.

Product Name	Model	Dimension(W*D*H)	Capacity	Power	Compressor Motor	Temp. Range	Cooling System
2 Doors Upright Dual temperature refrigerator	WRT-520L-DT-2	620*810*2050(mm)	260L+260L	220V 50HZ 670W	5/8HP Motor	Chiller 2 ~ 8(°C) Freezer -13 ~ -18(°C)	Air Cooling
4 Doors Upright Dual temperature refrigerator	WRT-1200L-DT-4	1300*838*2050(mm)	600L+600L	220V 50HZ 900W	7/8HP Motor	Chiller 2 ~ 8(°C) Freezer -13 ~ -18(°C)	Air Cooling



Detachable Gasket



Rounded corners



Caster option



# Upright Chiller/ Freezer (Tube Cooling)



WRT-390L-R2-H  
WRT-390L-F2-H



WRT-935L-R4-H  
WRT-935L-F4-H

## FEATURES:

- Professional economic type refrigerator, super large capacity, economical and practical.
- Cool rapidly and the food won't be dry out, which can help to keep the original flavor of the food.
- Thermal insulation design helps to save energy.
- Auto closing door, user friendly operation.
- Assembling with the famous compressor, stable performance and no noise in the running process.
- 150mm adjustable stainless steel legs with optional heavy duty casters.
- Adjustable wiring shelves to meet different storage needs comes in PVC coated wire shelves or SS wire shelves.
- High density polyurethane foam enables better insulation.



Detachable Gasket



Rounded corners



Caster option



Product Name	Model	Dimension(W*D*H)	Capacity	Power	Compressor Motor	Temp. Range	Cooling System
2 Doors Stainless Steel Upright Chiller	WRT-390L-R2-H	625*715*1980(mm)	390L	220V 50Hz 500W	3/8HP Motor	2 ~ 8(°C)	Tube Cooling
	WRT-390L-F2-H			220V 50Hz 580W		-13 ~ -18(°C)	
4 Doors Stainless Steel Upright Chiller	WRT-935L-R4-H	1220*715*1980(mm)	935L	220V 50Hz 600W	5/8HP Motor	2 ~ 8(°C)	Tube Cooling
	WRT-935L-F4-H			220V 50Hz 680W		-13 ~ -18(°C)	

# Glass Door Upright Chiller (Tube Cooling)



WRTS-880L-GS



WRTS-1090L-GSD

## FEATURES:

- Professional economic type refrigerator, super large capacity, economical and practical.
- Cool rapidly and the food won't be dry out, which can help to keep the original flavor of the food.
- Thermal insulation design helps to save energy.
- Auto closing door, user friendly operation.
- Assembling with the famous compressor, stable performance and no noise in the running process.
- 150mm adjustable stainless steel legs with optional heavy duty casters.
- Adjustable wiring shelves to meet different storage needs comes in PVC coated wire shelves or SS wire shelves.
- High density polyurethane foam enables better insulation.



Caster option



Ajustable shelf



Rounded corners

Product Name	Model	Dimension(W*D*H)	Capacity	Power	Compressor Motor	Temp. Range	Cooling System
Glass Door Chiller	WRTS-880L-GS	1200*665*1960(mm)	880L	220V 50Hz 600W	5/8HP Motor	2~8(°C)	Tube Cooling
Glass Chiller Freezer (Pass-through Type)	WRTS-1090L-GSD	1220*780*1978(mm)	1090L	220V 50Hz 600W*2	5/8HP Motor	2~8(°C)	Tube Cooling

# Undercounter Chiller/ Freezer



Through intensive research and the application of WISE R&D team innovative design, WISE refrigeration series is available as a refrigerator or freezer. The diverse options range from single, double or split doors for upright reach-ins that make our products most appealing to customers' various needs.

## USER-FRIENDLY



Auto Close Doors



Light & Durable door handles



## EASY TO OPERATE DESIGNED



Special coating durable evaporator fins



Smart operation panel



Eco-friendly Switch

## EASY MAINTENANCE



Detachable Gasket



Rounded corners



Easy access to removable filters

# Undercounter Chiller/ Freezer



## FEATURES:

- Professional economic type refrigerator,super large capacity, economical and practical.
- Auto closing door.
- Automatic defrost function.
- Thermal insulation design.
- Free of dead corners.
- 150mm adjustable stainless steel legs with optional heavy duty casters.
- High density polyurethane foam enables better insulation.
- Adjustable wiring shelves to meet different storage needs comes in PVC coated wire shelves or SS wire shelves.
- The machine unit can be extracted easily, convenient for maintenance.
- Equipped with individually micro switch which can control the embed evaporator fan inside the machine, when opened the door,the fan stops rotating so that reducing cold air loss.(Freezer only)

Product Name	Model	Dimension(W*D*H)	Capacity	Power	Compressor Motor	Temp. Range	Cooling System
90CM Standard Undercounter Chiller	WRW-142L-R1	900*600*850(mm)	142L	220V 50Hz 350W	1/4HP Motor	2~8(°C)	Air Cooling
	WRW-175L-R1	900*750*850(mm)	175L				
90CM Standard Undercounter Freezer	WRW-142L-F1	900*600*850(mm)	142L	220V 50Hz 530W	1/3HP Motor	-13 ~ -18(°C)	
	WRW-175L-F1	900*750*850(mm)	175L				
120CM Standard Undercounter Chiller	WRW-213L-R2	1200*600*850(mm)	213L	220V 50Hz 350W	1/4HP Motor	2~8(°C)	
	WRW-280L-R2	1200*750*850(mm)	280L				
120CM Standard Undercounter Freezer	WRW-213L-F2	1200*600*850(mm)	213L	220V 50Hz 530W	1/3HP Motor	-13 ~ -18(°C)	
	WRW-280L-F2	1200*750*850(mm)	280L				
150CM Standard Undercounter Chiller	WRW-290L-R2	1500*600*850(mm)	290L	220V 50Hz 350W	1/3HP Motor	2~8(°C)	
	WRW-385L-R2	1500*750*850(mm)	385L				
150CM Standard Undercounter Freezer	WRW-290L-F2	1500*600*850(mm)	290L	220V 50Hz 530W	3/4HP Motor	-13 ~ -18(°C)	
	WRW-385L-F2	1500*750*850(mm)	385L				
180CM Standard Undercounter Chiller	WRW-367L-R3	1800*600*850(mm)	367L	220V 50Hz 390W	1/3 HP Motor	2~8(°C)	
	WRW-520L-R3	1800*750*850(mm)	520L				
180CM Standard Undercounter Freezer	WRW-367L-F3	1800*600*850(mm)	367L	220V 50Hz 604W	3/4HP Motor	-13 ~ -18(°C)	
	WRW-520L-F3	1800*750*850(mm)	520L				